



www.Hilamotors.com

C*

TECHNICAL DETAILS OF ELECTRIC CITY BUS

BUS MODEL:	KLQ6126GEVR LOW-ENTRY CITY E-BUS
DRIVING RANGE PER CHARGE (UNDER RATED CONDITION):	250 ~ 350KM DEPENDS ON DRIVER DRIVING, HEATER AND A/C SYSTEM WORK- ING CONSUMPTION.
OVERALL DIMENSIONS	
OVERALL DIMENSIONS:	12000*2550*3390 / G.V.W(KG) 19000
STANDARD CHASSIS	
POWER BATTERY	CATL LITHIUM IRON PHOSPHATE BATTERY(350KWH)
MOTOR	TYPE: PERMANENT MAGNET SYNCHRONOUS VOLTAGE(V): 600 RATED POWER(KW):195 MAX TORQUE(N·M): 3200 RATED SPEED(R/MIN): 3400
ELECTRIC CONTROL SYSTEM	ELECTRIC CONTROL SYSTEM
CHARGING PORT:	2 EU STANDARD CHARGING PORT.
AXLE	FRONT DISC AXLE. REAR DISC AXLE.
FLOOR TYPE	LOW ENTRY
SUSPENSION SYSTEM	AIR SUSPENSION(FRONT 2 REAR 4) WITH ECAS
STEERING SYSTEM	POWER STEERING, TELESCOPIC STEERING COLUMN WHEEL AD- JUSTABLE FOR HEIGHT AND TILT
BRAKING SYSTEM	FRONT/REAR DISC,DUAL-CIRCUIT PNEUMATIC BRAKE; ENERGY STORAGE SPRING PARKING BRAKE; ABS+ASR
TIRE	295/80R22.5 WITHOUT SPARE TIRE WITH ALUMINUM ALLOY WHEEL RIM
HORN	ELECTRICAL HORN
OTHER	RESERVED WIRING FOR IC CARD MACHINE


TECHNICAL DETAILS ELECTRIC CITY BUS

STANDARD BODY	
BODY STRUCTURE	METAL STRUCTURE BUS BODY WITH ELECTROPHORESIS COATING FOR ANTICORROSION. FILLED WITH THERMAL AND SOUND PROOF MATERIALS.
DOORS	FRONT AND MIDDLE DOOR ACTING BY ELECTRONIC PNEUMATIC CONTROL
A/C WINDOW GLASS	ELECTRIC A/C, ELECTRIC HEATER SIDE SEALING GLASS WITH LIGHT GREY TINTED
FRONT AND REAR WINDSCREEN	FRONT FULL VIEW WINDSCREEN LAMINATED REAR SAFETY GLASS WINDSCREEN
SEATS	36 +2 +1
RATED PASSENGER:	80
ROOF EXIT	ONE ROOF EXIT WITH VENTILATOR FAN
DIGITAL CLOCK	DIGITAL CLOCK WITH THERMOMETER AND HYGROMETER FUNC- TION
WINDSCREEN WIPER	WITH
HANDRAIL AND GUARD BAR	STEEL ALLOY HANDRAILS
FLY RINGS	20 TRIANGLE TYPE
SUN VISOR	MANUAL DRIVER SUN VISOR
DESTINATION BOARD	3 DIGITAL DESTINATION BOARDS (FRONT/REAR/SIDE) WHICH CAN BE PROGRAMMED IN ARABIC AND ENGLISH BY DRIVER
INNER LIGHTS	LONG LINE CEILING LED LAMPS, STEP LAMPS
INSTRUMENT	FULL CAN SYSTEM
FIRE EXTINGUISHER	TWO 4 KG FIRE EXTINGUISHER, ABC TYPE
FLOOR:	WALL AND MIDDLE CEILING, PVC WEAR-RESISTANT FLOOR
HANDRAIL	STAINLESS STEEL HANDRAIL WITH 30UNITS FLY RINGS
AUDIO-VISUAL SYSTEM:	AM/FM RADIO
CAMERA AND MONITORS:	MIDDLE DOOR AND REVERSE MONITOR, 6 CAMERA HARD DISC RECORDER
OTHERS:	TWO 5 KG FIRE EXTINGUISHER, ABC TYPE DRIVER'S MICROPHONE STOP BUTTON TWO EMERGENCY ROOF EXIT WITH VENTILATORY FUNCTION RESERVED WIRING FOR GPS DESTINATION PANELS INSIDE THE BUS

















HILA MOTORS

Canan Business, Selvili Sok. No4/73 Ataşehir, İstanbul , Turkey

Phone +90 216 230 0747

Email Sales@Hilamotors.com web www.Hilamotors.com



www.Hilamotors.com